



Pharmacist Quick Tips

2020

Table of Contents

Pharmacist Quick Tips	4
Technician and Pharmacist Association	4
Associating Technicians with Pharmacists	4
Disassociating Technicians from Pharmacists	4
Patients	4
Searching for a Patient	4
Performing an Advanced Patient Search	5
Inserting a New Patient	5
Copying a Patient	5
Adding an Allergy	6
Merging Duplicate Patients	6
Drugs	7
Searching for a Drug	7
Performing an Advanced Drug Search	7
Quick Pricing a Drug	8
Viewing Generic Equivalents	8
Method 1: From the Drug Card	8
Method 2: From the Rx Screen	8
Printing Kroll Care from the Drug Card	8
Adding a Pseudo DIN for a Drug	9
Viewing Drug Order History	9
Doctors	9
Searching for a Doctor	9
Performing an Advanced Doctor Search	10
Inserting a New Doctor	10
Merging Duplicate Doctors	10
Printing a Call Doctor Label	11
Printing a Fax Doctor Report	11
Printing a Fax Doctor Report from the Fill Rx Screen	11
Prescriptions	11
Filling a new Rx	11
Making an Rx Unfilled	12
Filling a Not Dispensed Rx	12

Modifying an Rx	12
Reprinting an Rx	13
Canceling an Rx	13
Inactivating an Rx	13
Method 1: From the Patient Profile	13
Method 2: From the Rx Filling Screen	13
Refilling an Rx	14
Copying an Rx	14
Transferring an Rx from Another Store	14
Transferring an Rx to Another Store	14
Method 1: From the Patient Profile	14
Method 2: From the Rx Filling Screen	15
Filling in Multiples of the Drug Pack Size	15
Filling Multiple Rx's from the Alt-X – Start Screen	15
Owing s Drug before Filling an Rx	15
Owing a Drug after Filling an Rx	16
Handling the Owed Quantity of an Rx	16
Entering an Intervention Code	16
Entering a Section 8 ICR Number (Ontario Only)	17
Entering a Limited Use Code (Ontario Only)	17
Opening Multiple Kroll Sessions	17
Document Scanning	17
Reconciling Unprocessed Images	18
Viewing Scanned Images	18
Rx Double Count	19
Recording Double Counted Rx's	19
Confirming an Rx was Double Counted	19
Refills	19
Enrolling Patients for Refill Reminders	19
Enrolling Patients While Filling an Rx	20
Flagging an Rx for Refill Reminders	20
Viewing the Outbound Communication Queue	20
Labels	20
Prescription Labels	20

Hardcopy Labels	21
Free Form Labels	21
Auxiliary Labels.....	21
Shrinking the SIG on Vial Labels.....	22
Mixtures	22
Searching for a Mixture.....	22
Performing an Advanced Mixture Search.....	23
Inserting a Mixture	23
Adding a Pseudo DIN to a Mixture	25
Patient Counseling.....	26
Automatic Patient Counseling	26
Manual Patient Counseling.....	26
Editing Counseling Points.....	26
Counseling Accepted by Patient.....	26
Counseling Accepted by Agent	27
Counseling Rejected by Patient/Agent	27
Counseling Follow-up	28
Viewing Counseling History	28
Method 1: From the Patient Profile.....	28
Method 2: From the Rx Screen	28
Reports	29
Common Daily Reports.....	29
Common Weekly Reports.....	29
Common Monthly Reports	29
Other Commonly Used Reports	30

Pharmacist Quick Tips

Kroll is a powerful prescription filling program used in pharmacies throughout Canada. This document contains a compilation of 'quick tips' that will help you become familiar with the interface and functionality of the software. Note that this document does not contain any configuration or 'background' information; rather, it is intended to help you understand the basics of using and navigating Kroll.

Technician and Pharmacist Association

This section explains how to associate and disassociate technicians with pharmacists. Third party and DIS (Drug Information System) claims require that technicians be associated with an acting pharmacist in order for the pharmacist license number to be submitted as part of the claim record.

Associating Technicians with Pharmacists

1. From the Alt-X Start screen, go to File > Users > Associate Pharmacist.
2. Have the pharmacist enter his or her credentials in the Pharmacist Initials and Password fields.
3. Place a checkmark next to the technician(s) you want to associate with the pharmacist and enter an expiration time, if necessary. Click Associate.

Note that technician-pharmacist associations expire the same day they are created.

Disassociating Technicians from Pharmacists

1. From the **Alt-X Start** screen, go to **File > Users > Disassociate Pharmacist**.
2. Have the pharmacist enter his or her credentials in the **Pharmacist Initials** and **Password** fields.
3. Click **OK**.

Patients

This section explains how to perform various actions that pertain to patients. It will help you understand the contents of the Patient card, and describes the most common patient-related tasks in Kroll.

Searching for a Patient

1. From the **Alt-X - Start** screen, click the **Patient** button or press **F3** on your keyboard.

2. Type any one of the following in the search field:
 - Any part of the **Last Name** and the **First Name**, separated with a comma (e.g., do,jan for Jane Doe)
 - A period (.) followed by the patient **Quick Code** (e.g., .doej)
 - The patient's 7 or 10-digit phone number
 - The number sign (#) followed by the third party billing number
 - The letters "AR" followed by the accounts receivable number (e.g., AR11111)
 - The letters "AR:" followed by accounts receivable letters (e.g., AR:abcde)
 - "*" and any consecutive letters of the patient's first or last name (e.g., *oe for Jane Doe)
3. Click **Search** or press **Enter** on your keyboard.

Performing an Advanced Patient Search

1. From the **Alt-X - Start** screen, click the **Patient** button or press **F3** on your keyboard.
2. Place a checkmark in the **Advanced** checkbox.

Additional parameters are now available so you can search by **Address**, **City**, **Birthdate**, **NH** (nursing home), **SubPlan**, **Group**, and **Price Group**.

You also have the option to search for **Active** and **Inactive** patients only. The advanced patient search will search for active and inactive patients by default.

Inserting a New Patient

1. Perform a patient search. If the patient is not found, click the **Insert** button or press **Insert** on your keyboard.
2. Tab from one field to the next and enter all of the available patient information.
3. When all the available patient information has been entered, click **Save** or press **Enter** on your keyboard.

Copying a Patient

1. Perform a patient search. If the patient is not found, click the **Copy Pat** button or press **Ctrl+Y** on your keyboard.
2. Search for the patient you want to copy from (source patient).

3. Highlight the patient entry and press **Enter** twice.
4. If the source patient has third party plan(s), a prompt will appear asking if you want to copy the patient's plan(s) to the new patient's file. Select **Yes** or **No** depending on whether the new patient has coverage under the source patient's plan.
5. If you selected **Yes**, a prompt will appear asking you to indicate the relationship between the source patient and the new patient. Select a relationship type from the dropdown menu and click **OK**.
6. The new patient will have the address and phone number copied over from the source patient. Continue entering the rest of the patient information. Click **Save** or press **Enter** on your keyboard to save the patient file.

Adding an Allergy

1. Call up a patient record.
2. Press **Ctrl+A** to go to the **Allergies** section of the Patient card.
3. Click **Ins** or press **Insert** on your keyboard.
4. Type in the allergy (e.g., penicillin) and click **Search** or press **Enter** on your keyboard.
5. Fill out the **Patient Allergy Information** form and click **OK**.
6. Click **Save** or press **Enter** on your keyboard to save the changes made to the Patient card.

Merging Duplicate Patients

1. From the **Alt-X - Start** screen, go to **Utilities > Merge > Patients**.
2. Enter the name of the patient you want to keep in the **New Patient to be transferred TO** field and click **Lookup** or press **Enter** on your keyboard.
3. Highlight the patient you want to keep and press **Enter** twice.
4. Enter the name of the patient you want to remove in the **Old Patient to be transferred FROM** field and click **Lookup** or press **Enter** on your keyboard.
5. Highlight the patient you want to remove and press **Enter** twice.
6. Click **Transfer** or press **Enter** on your keyboard to transfer the patient profile.
7. Answer **Yes** when asked '**Are you sure you wish to merge these 2 patients?**'.

8. Click **Cancel** or press **Esc** on your keyboard to exit the **Merge Patients** form.

Drugs

This section explains how to perform various actions that pertain to drugs. It will help you understand the contents of the Drug card, and describes the most common drug-related tasks in Kroll.

Searching for a Drug

1. From the **Alt-X - Start** screen, click the **Drug** button or press **F5** on your keyboard.
2. Type any one of the following in the **Search** field:
 - Any part of the brand or generic name, separated with a comma (,)
 - A 5-8 digit DIN
 - A 11-12 digit UPC
 - A period (.) followed by the drug Quick Code (e.g., .ATOR10)
 - The number sign (#) followed by the catalog item number
 - "*" and any consecutive letters of the drug name (e.g., *sonex to search for Nasonex)
3. Click **Search** or press **Enter** on your keyboard.

Performing an Advanced Drug Search

1. From the **Alt-X - Start** screen, click the **Drug** button or press **F5** on your keyboard.
2. Place a checkmark in the **Advanced** checkbox.

Additional parameters are now available so you can search by **Generic Name**, **Drug Group**, **Drug Price Group**, **Form**, **Manuf** (manufacturer), and **Sched** (drug schedule).

You also have the option to search for **Active** and **Inactive** drugs only. The advanced drug search will search for active and inactive drugs by default.

If the drug is found through the **Advanced** search and the entry is marked in red, that means the pack is inactive.

3. Reactivate the drug by calling up the Drug card and checking the **Pack Active** checkbox located below the **Pack Size** field.
4. Click **Save** or press **Enter** to save changes made to the Drug card.

Quick Pricing a Drug

1. From the **Alt-X - Start** screen, go to **Utilities > Quick Price** or press **ALT+=** on your keyboard.
2. Search for the drug you want to generate a price for.
3. Highlight the applicable drug entry and press **Enter** twice.
4. Enter the **Qty** (quantity) being dispensed.
5. Enter a **Days** supply value (optional).
6. Select a different **Plan** if there is a specific pricing strategy attached to the plan.
7. Click **Calculate** or press **Enter** on your keyboard to obtain pricing.
8. Click **Add** or press **Enter** on your keyboard to place the drug price into a 'shopping list'.
9. From the 'shopping list', click **Ins** or press **Insert** on your keyboard to add another drug to generate a running total.

Viewing Generic Equivalents

Method 1: From the Drug Card

1. Call up the drug you want to view generic equivalents for.
2. Select **Drug > View Generic Equivalent** or press **Alt+G** on your keyboard.

Method 2: From the Rx Screen

1. Call up a drug and click **F12 - New Rx**.
2. Select **View > Generic Equivalent** or press **Alt+G** on your keyboard.

Printing Kroll Care from the Drug Card

1. Call up the drug that you would like to print Kroll Care for.
2. Select **Drug > Print Kroll Care**. Kroll Care will print directly to your pharmacy's default report printer.

Adding a Pseudo DIN for a Drug

1. Call up the drug that you would like to add a pseudo DIN for.
2. Click the **Plans** tab, or press **CTRL+P** on your keyboard.
3. Click **Ins** or press **Insert** on your keyboard to add a pseudo DIN.
4. Select the appropriate **SubPlan** from the dropdown menu.
5. Check the **Default** checkbox to bypass sending the DIN listed on the actual Drug card.
6. Check the **Covered** checkbox if the subplan pays for the drug.
7. Enter the pseudo DIN (PDIN).
8. Enter a **Description** of the pseudo DIN.
9. Check the **Bill As Pack** checkbox if the plan needs to see the product billed as one pack.
10. Click **OK** or press **Enter** on your keyboard to save the pseudo DIN.
11. Click **Save** or press **Enter** on your keyboard to save the changes made to the Drug card.

Viewing Drug Order History

1. Call up the drug you want to view order history for.
2. Select **Drug > View Order History for this Drug**.

Doctors

This section explains how to perform various actions that pertain to doctors. It will help you understand the contents of the Doctor card, and describes the most common doctor-related tasks in Kroll.

Searching for a Doctor

1. From the **Alt-X - Start** screen, click the **Doctor** button or press **F7** on your keyboard.
2. Type any one of the following in the search field:
 - Any part of the Last Name and the First Name, separated with a comma (e.g., do,jan for Jane Doe)
 - A period (.) followed by the doctor Quick Code (e.g., .doej)
 - The doctor's 7 or 10-digit phone number
 - The number sign (#) followed by the doctor's license number

- "*" and any consecutive letters of the doctors first or last name (i.e., *oe for Jane Doe)
3. Click **Search** or press **Enter** on your keyboard.

Performing an Advanced Doctor Search

1. From the **Alt-X - Start** screen, click the **Doctor** button or press **F7** on your keyboard.
2. Place a checkmark in the **Advanced** checkbox.

Additional parameters are now available so you can search by **Address**, **City**, and **Group**.

You also have the option to search for **Active** and **Inactive** doctors only. The advanced doctor search will search for active and inactive doctors by default.

Inserting a New Doctor

1. Perform a doctor search. If the patient is not found, click the **Insert** button or press **Insert** on your keyboard.
2. Tab from one field to the next and enter all of the available doctor information.

If the doctor license number is unknown, leave the **License** field blank.
3. When all the available doctor information has been entered, click **Save** or press **Enter** on your keyboard.
 - a) If you did not enter a doctor license number, a prompt asking '**This doctor has no license number. Search the Doctor Listing for a matching doctor?**' will appear. Click **Yes**.
 - b) If a matching doctor is found in the listing, highlight the doctor entry and press **Enter** twice.
 - c) If no matching doctor is found in the listing, close the doctor listing window.
 - d) A prompt will appear asking '**Do you want to assign a License Number of 99999?**'. Answer accordingly.
 - e) Click **Save** or press **Enter** on your keyboard to save changes to the Doctor record.

Merging Duplicate Doctors

1. From the **Alt-X - Start** screen, go to **Utilities > Merge > Doctors**.
2. Enter the name of the doctor you want to keep in the **New Doctor to be merged TO** field and click **Lookup** or press **Enter** on your keyboard.
3. Highlight the doctor you want to keep and press **Enter** twice.

4. Enter the name of the doctor you want to remove in the **Old Doctor to be merged FROM** field and click **Lookup** or press **Enter** on your keyboard.
5. Highlight the doctor you want to remove and press **Enter** twice.
6. Click **Transfer** or press **Enter** on your keyboard to transfer the doctor profile.
7. Answer **Yes** when asked '**Are you sure you wish to merge these 2 doctors?**'.
8. Click **Cancel** or press **Esc** on your keyboard to exit the **Merge Doctors Form**.

Printing a Call Doctor Label

1. Call up an Rx record with no remaining refills and select **Rx > Print Authorization Label Now**.
2. Answer **Yes** when asked '**Are you sure you want to print an Authorization label and exit?**'.

Printing a Fax Doctor Report

1. Call up a patient record.
2. Select **All Rxs** from the right navigation pane, or press **Shift+F3** to call up the patient medication profile.
3. Use the spacebar to mark the Rxs you want to fax the doctor for.
4. Select **Extra Functions > Fax Doctor(s)**.
5. Enter any comments in the free form text box and click **Print** or press **Ctrl+P** on your keyboard.

Printing a Fax Doctor Report from the Fill Rx Screen

1. Call up an Rx go to **Reports > Fax Doctor**.
2. Enter any comments in the free form text box and click **Print** or press **Ctrl+P** on your keyboard.

Prescriptions

This section explains how to perform various actions that pertain to prescriptions. It will help you understand the contents of the Rx card, and describes the most common prescription-related tasks in Kroll.

Filling a new Rx

1. From the **Alt-X Start** screen, click the **New Rx** button or press **F12** on your keyboard.
2. In the **Patient Search** field, enter any of the patient search criteria outlined in [Searching for a Patient](#). Double-click the patient entry and click the **Rx** button.

3. In the **Drug Search** field, enter any of the drug search criteria outlined in [Searching for a Drug](#). Double-click the drug entry and click the **Rx** button.
4. In the **Doc Search** field, enter any of the doctor search criteria outlined in [Searching for a Doctor](#). Double-click the doctor entry and click the **Rx** button.
5. Enter the appropriate sig code in the **Sig** field (i.e. Take 1 tablet once daily).
6. Enter the quantity being dispensed in the **Disp Qty** field.
7. Enter the number of days' supply being dispensed in the **Days** field.
8. Select **Prescriber's Choice**, **Patient's Choice**, **Pharmacist's Choice**, or **Existing Therapy** from the **Prod Sel** (product selection) dropdown menu.
9. Select **Written**, **Oral**, or **Faxed** from the **O/W** dropdown menu.
10. Enter the number of labels you want to generate in the **Labels** field (default is '1').
11. Click **Fill Rx**, or press **F12** on your keyboard.

Making an Rx Unfilled

1. Fill out all the fields in the **F12 - New Rx** screen.
2. Select **Rx > Make Rx Unfilled** or press **Alt+R** and then **U** on your keyboard.
3. Click **F12 - Unfill Rx** or press **F12** on your keyboard to unfill the Rx.

Filling a Not Dispensed Rx

1. Fill out all the fields in the **F12 - New Rx** screen.
2. Select **Rx > Make Rx Not Dispensed** or press **Alt+R** and then **X**, followed by **N** on your keyboard.
3. Click **F12 - Fill Rx** or press **F12** on your keyboard to complete the not-dispensed Rx.

Modifying an Rx

1. Call up a patient and select **All Rxs** from the right navigation pane, or press **Shift+F3** on your keyboard.
2. Use the spacebar to mark the Rx(s) you want to modify.
3. Click **M - Modify** or press **M** on your keyboard.
4. Make the necessary modifications to the Rx.

5. Click **Save Changes** or press **F12** on your keyboard.

Reprinting an Rx

1. Call up a patient and select **All Rxs** from the right navigation pane, or press **Shift+F3** on your keyboard.
2. Use the spacebar to mark the Rx(s) you want to reprint.
3. Click **R - Reprint** or press **R** on your keyboard.
4. Fill out the **Report Rx Paperwork** form and click **Reprint**.

Canceling an Rx

1. Call up a patient and select **All Rxs** from the right navigation pane, or press **Shift+F3** on your keyboard.
2. Use the spacebar to mark the Rx(s) you want to cancel.
3. Click **C - Cancel** or press **C** on your keyboard
4. Answer **Yes** when asked '**Are you sure you want to Cancel this Rx?**'
5. A prompt will appear stating '**You are cancelling the first fill of an Rx**'. Select **Filled in Error - Remove from profile**.
6. Answer **No** when asked '**Do you want to copy this "mistake" Rx to a new number?**'

Inactivating an Rx

Method 1: From the Patient Profile

1. Call up a patient and select **All Rxs** from the right navigation pane, or press **Shift+F3** on your keyboard.
2. Use the spacebar to mark the Rx(s) you want to inactivate.
3. Click **I - Inactivate** or press **I** on your keyboard.
4. Answer **Yes** when asked '**Are you sure you want to inactivate these Rx(s)?**'

Method 2: From the Rx Filling Screen

1. Call up the prescription you want to inactivate in **Modify** mode.
2. Select **Rx > Inactivate Rx** or press **Alt+R** and then **I** on your keyboard.
3. Answer **Yes** when asked '**Are you sure you want to inactivate this Rx(s)?**'.

Refilling an Rx

1. Call up a patient and select **All Rxs** from the right navigation pane, or press **Shift+F3** on your keyboard.
2. Use the spacebar to mark the Rx(s) you want to refill.
3. Click **F - Refill** or press **F** on your keyboard.
4. Click **Fill Rx** or press **F12** on your keyboard.

Copying an Rx

1. Call up a patient and select **All Rxs** from the right navigation pane, or press **Shift+F3** on your keyboard.
2. Use the spacebar to mark the Rx(s) you want to copy.
3. Click **F - Refill** or press **F** on your keyboard to bring up the prescription(s) in refill mode.
4. Select **Rx > Copy Rx** or press **Alt+R** and then **Y** on your keyboard.
5. Answer **Yes** when asked '**Are you sure you want to Copy this Rx to a new number)?**'.
6. Enter the number of **Repeats** and click **OK** or press **Enter** on your keyboard.

Transferring an Rx from Another Store

1. Fill out all the fields in the **F12 - New Rx** screen.
2. Select **Rx > Transfer Rx From Other Store** or press **ALT+R** and then **F** on your keyboard.
3. Fill out the **Transfer Rx from other store** form and click **OK** or press **Enter** on your keyboard.
4. Click **F12 - Fill Rx** or press **F12** on your keyboard to fill the transfer-in Rx.

Transferring an Rx to Another Store

Method 1: From the Patient Profile

1. Call up a patient and select **All Rxs** from the right navigation pane, or press **Shift+F3** on your keyboard.
2. Use the spacebar to mark the prescription(s) you wish to transfer out.
3. Select **Extra Functions > Transfer Rx to Another Store**.
4. Fill out the **Transfer Out Rx(s)** form and click **Transfer Out Eligible Rxs** or press **Enter** on your keyboard.
5. Answer **Yes** when asked '**Do you want to print the Transfer Report?**'

Method 2: From the Rx Filling Screen

1. Call up the prescription you want to transfer out in **Modify** mode.
2. Select **Rx > Transfer Rx To Other Store** or press **ALT+R** and then **T** on your keyboard.
3. Fill out the **Transfer Out Rx(s)** form and click **Transfer Out Eligible Rxs** or press **Enter** on your keyboard.
4. Answer **Yes** when asked '**Do you want to print Transfer Report?**'.

Filling in Multiples of the Drug Pack Size

1. Fill out all the fields in the **F12 - New Rx** screen.
2. Enter the number of packs you want dispensed followed by the letter **P** (e.g., P3 for 3 packs) in the **Disp Qty** (dispense quantity) field. Kroll will multiply the drug's pack size by the number of packs indicated.

Filling Multiple Rxs from the Alt-X – Start Screen

1. Go to the **ALT-X - Start** screen.
2. Type in the first Rx number you want to refill followed by a forward slash '/' (e.g., 99999999/) in the field below the **Patient** button.
3. Type in the second Rx number you want to refill followed by a forward slash '/' (e.g., 99999999/88888888/).
4. Repeat steps 2-3 for each Rx.
5. Click **F12 - New Rx** to call up the refills.
6. Click **F12 - Fill Rx** to complete each Rx.

Owing s Drug before Filling an Rx

1. If you notice that you do not have enough inventory to complete an Rx before it is filled, select **Rx > Owe Quantity**, or press **ALT+R** and then **W** on your keyboard.
2. Enter the quantity that you would like to owe the patient in the **Owe Qty** field and the time and date the owed portion of the Rx will be ready in the **Keep Rx in Trouble Until** fields.
3. Click **OK** or press **Enter** on your keyboard.
4. Click **F12 - Fill Rx** or press **F12** on your keyboard to fill the Rx. Two labels will be printed: one for the amount dispensed and another for the amount owed.

Owing a Drug after Filling an Rx

1. If you notice that you do not have enough inventories to complete an Rx after it is filled, go to the **ALT-X - Start** screen.
2. Enter the **Rx Number** in the field below the **Patient** button and click **Modify Rx**.
3. Select **Owe Quantity** from the right navigation pane.
4. Enter the quantity that you would like to owe the patient in the **Owe Qty** field the time and date the owed portion of the Rx will be ready in the **Keep Rx in Trouble Until** fields..
5. Click **OK** or press **Enter** on your keyboard.
6. Click **Yes** or press **Enter** on your keyboard. Two labels will be printed: one for the amount dispensed and another for the amount owed.

Handling the Owed Quantity of an Rx

1. Complete steps 1-2 of [Owing a Drug before Filling an Rx](#) if filling a new Rx, or steps 1-4 of [Owing a Drug after Filling an Rx](#) if the Rx has already been filled.
2. When the date and time indicated on the **Edit Rx Owe** form has elapsed, the Rx record will move to the **Package Rx** screen. The balance of the Rx will be managed within the workflow when using the **Get Work** feature. Scan or enter the UPC or DIN and complete the **Qty**, **Expiry Date**, and **Lot** fields.
3. Click **Packaged**.
4. The label set will print, indicating an owe balance of 0 and a status of **No Charge**.

Entering an Intervention Code

1. If you are not automatically prompted to enter an intervention code when filling an Rx, select **Rx > Interventions/SA Numbers** or press **Alt+R** and then **V** on your keyboard.
2. Click the **F2** button or press **F2** on your keyboard.
3. Select an intervention code and click **OK** or press **Enter** on your keyboard.
4. Repeat steps 2-3 if you want to add an intervention code to the **Intervention Code 2** field.
5. Click **OK** or press **Enter** on your keyboard to close the **Rx Plan Information** form.

Entering a Section 8 ICR Number (Ontario Only)

1. If you are not automatically prompted to bill ODB with a Section 8 when filling an Rx, select **Rx > Interventions/SA Numbers** or press **ALT+R** and then **V** on your keyboard.
2. Enter the ICR number in the **Special Authorization** field and click **OK** or press **Enter** on your keyboard.

On the **F12 - Fill Rx** screen, you should see **SA#:XXX-XXXXX** under **Extra Info** on the **Plans** tab.
3. Continue filling the Rx.

Entering a Limited Use Code (Ontario Only)

1. If you are not automatically prompted to bill ODB with a limited use code when filling an Rx, select **Rx > Interventions/SA Numbers** or press **ALT+R** and the letter **V** on your keyboard.
2. Enter the limited use code in the **Reason Code** field, or press the **F2** button to view limited use codes the apply to that drug.
3. Click **OK** or press **Enter** on your keyboard to close the **Rx Plan Information** form.

On the **F12 - Fill Rx** screen, you should see **RC:XXX** under **Extra Info** on the **Plans** tab.

4. Continue filling the Rx.

Opening Multiple Kroll Sessions

1. From the **Alt-X - Start** screen, select **Session > Session 2** or press **Alt+2** on your keyboard.
2. Enter your Kroll ID and password to open the second session.
3. Repeat steps 1-2 for each additional session you want to open.

Document Scanning

This section explains the process for scanning documents that pertain to the patient record. Many documents in Kroll contain 2D barcodes that, when scanned, inform the system of which patient or prescription the document pertains to.

1. From the **Alt-X - Start** screen, go to **Utilities > Printed Document Scan/Import**.
2. Place the hardcopies face down on the scanner hopper.
3. Check the **Scan both sides of paper** checkbox if you are scanning any hardcopies with information on both sides (only if your scanner supports dual side scanning).

4. Click **Start Scanning**. When scanning is complete, the number that appears next to **To Process** indicates the number of Rxs that were scanned successfully. The number that appears next to **To Reconcile** indicates the number of Rxs that were not scanned successfully, and will need to be manually reconciled.
5. Click **Process and Reconcile**. Items in the **To Process** list will appear in the **Documents to be created** section, and items in the **To Reconcile** list will appear in the **Unprocessed Images** section.
6. If all Rxs were scanned successfully and appear in the **Documents to be created** section, click **Process Pending Documents**.
7. Click **Cancel** to close the **Document Scan Reconciliation** window.

Reconciling Unprocessed Images

1. From the **Document Scan Reconciliation** window, highlight a scanned hardcopy in the **Unprocessed Images** list and click **Create New Document**.
2. Select **Script Image** from the **Document Type** dropdown menu.
3. Select **Hardcopy** from the **Image Type** dropdown menu.
4. Enter the Rx number in the **Rx Number field**.
5. Click **Lookup**.
6. The **Rx Num**, **Date**, **Patient**, **Drug**, and **Doctor** fields will auto-populate, and the unprocessed image **Type** will be set to **Script Image**. Highlight the item and click **Save and proceed to next**. The image will appear in the **Documents to be created** list.
7. If you wish to add the image to a current document, click **Add this image to the current document**.
8. Complete steps 1-7 for all other items in the **Unprocessed Images** list. When you are finished, click **Process Pending Documents**.
9. Click **Cancel** to close the **Document Scan Reconciliation** window.

Viewing Scanned Images

1. Bring up an Rx in the **F12** screen and select **Rx Images** from the right navigation pane. The **Rx Images** window will appear.
2. Select the **Script Image** tab to view scanned script images, or the **Hardcopy** tab to view scanned hardcopies.

3. Click **Close** to close the **Rx Images** window.

Rx Double Count

This section explains Rx double counts. It will help you understand how to double count and confirm Rxs before reaching the Packaging stage.

Recording Double Counted Rxs

1. Process the prescription as per established procedures until it displays in the **Packaging Rx** screen.
2. Scan or enter the UPC.
3. Enter the **Expiry Date** and **Lot** number (optional).
4. Click **Package**. A status of '**All Drug Packs have been packaged**' will show.
5. Enter '**Rx Double Counted**' in the **Workflow Note** field.
6. Click **Packaged**. The Rx will move to the next workflow queue.

Confirming an Rx was Double Counted

1. Call up the Rx in the **Clinical Verification** screen.
2. Click the **Workflow** tab. If the Rx has been double counted it will show a status of '**Completed**' with '**Rx Double Counted**' noted in the **Comment** field.

Refills

This section explains how to perform auto-refills in Kroll. This functionality integrates with existing pharmacy IVR systems and vendors to carry out automatic refill reminder notifications for designated patients.

Enrolling Patients for Refill Reminders

1. Locate a patient and access the **F12 - New Rx** screen.
2. Click **Enable Auto-Refill**.
3. Select the appropriate type of refill reminder from the **Select Refill Type** dropdown menu and click **Save**.
4. If you selected **Confirm Before Fill** from the **Select Refill Type** dropdown menu, you will be prompted to complete the **Refill Type Enrolment** form. Make the appropriate selections from the **Message** and **Type**

dropdown menus. The patient's contact information will auto-populate according to your **Type** selection. When you are finished, click **Save**.

5. The **F12 - Fill Rx** screen will show an enabled **Refill Reminder** checkbox where the **Enable Auto-Refill** button was.

Enrolling Patients While Filling an Rx

1. Access the **New Rx** card and begin filling an Rx.
2. Click the **Refills(+)** button to enter the number of repeats and the dispensing quantity that applies to the Rx. The **Auth Qty** field will auto-populate according to the information you enter. Click **OK**.
3. Click **Fill Rx**.
4. A prompt asking '**Does the patient want to enroll in Refill Reminder or Auto Refill program?**' will appear. Click **Yes**.
5. Configure the enrolment according to the patient's preferences. Click **Save**.

Flagging an Rx for Refill Reminders

1. Locate a patient and access the **F12 - Fill Rx** screen.
2. Place a checkmark next to **Refill Reminder**.

Viewing the Outbound Communication Queue

1. From the Alt-X - Start screen, go to Utilities > Outbound Communications > View Queue. The Outbound Communication Queue window will open.
2. Double click an item from the Queued Items list to view the details of the selected item. Click OK to close the Communications Queue - Item Detail window.

Labels

This section describes the various label types supported in Kroll and explains how to generate and customize labels. Label settings can be modified in **File > Configuration > Store > Labels**.

Prescription Labels

There are three types of labels supported in Kroll: laser labels, dot matrix labels, and thermal labels. Laser labels are most commonly used for producing standard retail prescription label sets, as well as for producing Kroll Care brochures and plain paper reports.

Hardcopy Labels

There are several options that control what information appears on these labels (found in **File > Configuration > Store > Labels > Hardcopy**), which ultimately affects the size of the printed hardcopy. A sample hardcopy appears below:

Rx: 10210525	Tue 01-Jun-2010 11:15	} Patient information
Doe, Jane	Quick Code: ABDF MA	
Rest Easy Home - MONTHLY		
Room: 10, Bed: 20		
123 Any St	Sex: Female	
Toronto, ON	DOB: 20-Aug-1949(60 years)	
Last TMR Date: 01-Apr-2010		
AHE: 99-99999-999999999999	ESI: 99-99999-9999999999	
Pat Com: This is a patient's comment that prints on Hardcopy label. If the comment i...		

20 ML Tamiflu 2mg/ml	O/W: O	} Drug information
<i>Osetamivir 12mg/ml</i>	Vendor#706853 ROD	
DIN: 02245549	41.15/75 On Hand: 40 Days: 20	
PDIN: 11778899	Lot: 20:4879879 10-Nov-10	
Loc: Bin 7 Shelf 10	Poll: 54A, Cell: 78B	
Old Drug: Advair 125... Drg Com: This is a Drug comment that prints on Hard...		

Dr. Smith, Joe	Doc# 01:	} Doctor information
321 Yonge St.	SNAP CAPS	
Entrance Is In The Back	REFILL (19 days early)	
Toronto, ON	OWED: 20	
Phone: (555) 000-0000	CALL DOCTOR	
Doc Com: This is a Doc comm... MODIFY REPRINT		
INTERVAL DAYS: 10		
AllRefExp: 09-Apr-2011		

NEW: TAKE 4 TEASPOONFULS (20ML) IN THE MORNING & AT BEDTIME		} Directions (SIG)
(Drug Exp: 10-Oct-2010)		

Free Form Labels

Free form labels are blank labels you can add text to. To create a free form label, go to **Utilities > Labels > Free Form Labels**. Enter the text you want to appear on the label and click **Print**.

Auxiliary Labels

Users can create their own free form auxiliary labels for drugs and mixtures. For mixtures, a maximum of five custom auxiliary labels can be printed for the respective label set.

To create an auxiliary label for a drug:

1. Call up a drug and select **Drug > Customize FDB Info for this Drug**.
2. Select the appropriate tab (**Counseling messages, Kroll Care, or Auxiliary labels**).
3. Click **Ins** to press **Insert** on your keyboard.
4. Enter the text you want to appear on the label and click **Apply**.

To create an auxiliary label for a mixture:

1. Call up a mixture and select **Mixture > Customize FreeForm Auxiliary Labels**.
2. Click **Ins** or press **Insert** on your keyboard.
3. Enter the text you want to appear on the label and click **Apply**.

Labels will be printed in the same order as they appear on the **Customize FDB Information** screen. Use the up and down arrow buttons next to **Ins** and **Del** to rearrange the labels.

A sample custom auxiliary label appears below:

Rx:1000056 Test, Man Oh 2% Clindamycin Pwd In 0.1% Differin Cream 30 GM MIX Dr. Weisbrod, Gerald Irwin APPLY TO AFFECTED AREA(S) AS DIRECTED	Mon20-Aug-2012 Refills: 0	Rx:1000056 Test, Man Oh 2% Clindamycin Pwd In 0.1% Differin Cream 30 GM MIX Dr. Weisbrod, Gerald Irwin APPLY TO AFFECTED AREA(S) AS DIRECTED	Mon20-Aug-2012 Refills: 0	Send To: Test, Man Oh **CASH** ON Rx: 1000056 Co-Pay: 62.25 Send To: Test, Man Oh **CASH** ON Rx: 1000056 Co-Pay: 62.25
Appliesparingly For external use only Avoid light Keep in a dry cool area. Discard after 2 weeks use.				

Shrinking the SIG on Vial Labels

From the **F12 - Fill Rx** screen, select **Labels > Half Size SIG**. This will shrink the size of the sig on the vial label by 50%.

Mixtures

This section explains how to perform various actions that pertain to mixtures. It will help you understand the contents of the Mixture card, and describes the most common mixture-related tasks in Kroll.

Searching for a Mixture

1. From the **F5 - Drug** screen, do one of the following:
 - Place a checkmark in the **Mixture** checkbox
 - Press **Ctrl+M** on your keyboard
 - Type "*" and any consecutive letters of the mixture **Description** (e.g., *drocort to search for a mixture description containing hydrocortisone)
 - Type an @ symbol in the drug search field

2. Do any one of the following to search for a mixture:
 - Type any part of a mixture component followed by a comma to search for mixtures that contain that component (e.g., hydro to search for mixtures that contain hydrocortisone).
 - To search for a mixture that contains more than one component, enter any part of the first component, followed by a comma, and any part of the second component, followed by a comma, etc. (e.g., hydrocort, menth, to search for mixtures that contain hydrocortisone and menthol)
 - Type any part of the mixture description in the search field.
 - Enter a period (.) followed by the mixture **Quick Code** (e.g., .hydrocort).
3. Click **Search** or press **Enter** on your keyboard.

Performing an Advanced Mixture Search

1. Call up the mixture search screen.
2. Place a checkmark in the **Advanced** checkbox.

Additional parameters are now available so you can search by **Drug Group**, **Price Group**, **Mixture Time**, **Form**, **Mix Type**, or **Schedule**. You can also search for mixtures that are **Reportable**, contain **Methadone**, or that are **IV Mixtures**.

You also have the option to search for **Active** and **Inactive** patients only. The advanced patient search will search for active and inactive patients by default.

Inserting a Mixture

1. Perform a mixture search. If no mixture is found, click the **Insert** button or press **Insert** on your keyboard.
2. A prompt will appear stating '**You cannot insert a new mixture until you have searched for inactive mixture items. A search for inactive mixtures will not be performed, and if you still don't find the mixture you're looking for, then you may press/click insert again to add it**'. Click **OK**.
3. If no mixture is found, click the **Insert** button or press **Insert** on your keyboard.
4. Enter a **Quick Code** (optional) and a **Name**. The name is printed on vial labels, so make sure it is as descriptive as possible.
5. Tab to the **Enter Proportions by** section. Most mixtures are created in percentages, but if you need to create a mixture using different proportions, make a selection and indicate the appropriate **Base Quantity**.

6. Select a mixture form from the **Form** dropdown menu.
7. Select the appropriate route of administration from the **Route of Admin** dropdown menu.
8. Select a mixture schedule from the **Schedule** dropdown menu.
9. Select the appropriate option from the **Oral/Written** dropdown menu. If the mixture contains narcotics, you must specify either **Oral or Written** or **Written Only**. The selection made in this field will determine if oral or written specification is required at the prescription filling level.
10. Select the appropriate option from the **Mix Type** dropdown menu.
11. Select the appropriate option from the **Price Group** dropdown menu (optional).
12. Enter a default sig for the mixture in the **Default Sig** field (optional).
13. Select the appropriate option from the **Provincial PIN** dropdown menu (optional).
14. Enter the number of days the mixture will keep in the **Expiry (Days)** field. A calculated expiry date will print on the vial label.
15. Check the **Active** checkbox if the mixture is currently being used in prescriptions.
16. Check the **Reportable** checkbox if the mixture contains a narcotic component.
17. Check the **Refrigerated** checkbox if the mixture contains a component that must be kept refrigerated.
18. Check the **Methadone** checkbox if the mixture contains methadone.
19. Input the appropriate mixture times in the **If Rx Qty =>** and **(Minutes)** fields. These values determine mixture times as they pertain to variable dispense quantities.

If Rx Qty =>	Minutes
0	5
50	8
100	10

The above mixture time means that from 0-50 grams, the system will charge 5 minutes of mixture time; from 50-100 grams, the system will charge 8 minutes of mixture time; anything over 100 grams will be charged 10 minutes of mixture time.

20. Click **Ins** from the **Components** section or press **Insert** on your keyboard to add a component.
21. Search for the first component of the mixture and click **Search** or press **Enter** on your keyboard.

22. Double-click the record. The **Compound Component** screen will appear.
23. Select the appropriate option from the **Pack Size** dropdown menu.
24. If the component is the active ingredient in the mixture, check the **Active component for 3rd party** checkbox.
25. Click **Add** to add the component.
26. Repeat steps 21-25 until all components are entered into the mixture card. Click **Cancel** to close the drug search form.
27. Click **Save** or press **Enter** on your keyboard to save the mixture card.

Adding a Pseudo DIN to a Mixture

1. Call up a mixture.
2. Click the **Plan** tab.
3. Click **Ins** from the **Plans** section or press **Insert** on your keyboard.
4. Select the appropriate option from the **SubPlan** dropdown menu.
5. Enter a description in the **Description** field.
6. Check the **Default** checkbox if you want to bypass sending the DIN of the mixture's active component, and instead send the pseudo DIN.
7. Check the **Covered** checkbox if the SubPlan pays for the mixture.
8. Enter the pseudo DIN.
9. Check the **Mix Type** checkbox and select from the dropdown menu if you want to specify the type of mixture.
10. Check the **Bill As Pack** checkbox if the SubPlan needs to see the mixture billed as one pack.
11. Select an **Intervention** from the drop-down menu, if necessary.
12. Click **OK** to save the pseudo DIN.
13. Click **Save** or press **Enter** on your keyboard to save the Mixture card.

Patient Counseling

This section explains how to perform counseling for patients in Kroll. Counseling for patients can either be configured automatically or performed manually.

Counseling settings can be modified in **File > Configuration > Store > Rx > Counseling** for new Rx's, refills, and drug changes.

Automatic Patient Counseling

When new Rx's have been configured for automatic patient counseling, a prompt will appear when filling new Rx's asking if you want to perform patient counseling upon pickup. Select **Counsel Patient** if you want to perform patient counseling or **Do Not Counsel** if you do not. In both instances you will be required to enter a reason for your selection. When you are finished, click **Save**.

The warning message '**Counsel Patient on Pickup**' will appear on the **F12 - Fill Rx** screen.

Manual Patient Counseling

To manually enable patient counseling, call up an Rx and select **Counsel Patient on Pickup** from the right navigation pane.

Editing Counseling Points

1. From the **Alt-X - Start** screen, go to **Edit > Lists**.
2. Click the **Counseling Points** tab.
3. Click **F2** to edit a counseling point, **Ins** to add a new counseling point, and **Del** to delete a counseling point, or press **F2**, **Insert**, and **Delete** on your keyboard.
4. Use the up and down arrows to reorder the counseling points.

Counseling Accepted by Patient

When a request for counseling is accepted by the patient, call up the **Counseling** screen for the Rx and do the following:

1. Enter the patient's **Last Name** and **First Name**.
2. Select the counseling method from the **Method** dropdown menu.
3. Place a checkmark next to the counseling points you want to cover during patient counseling. Enter any additional information in the text box that appears next to each counseling point.

4. If you want to perform patient counseling at a later date, click **Save for Later**.
5. When you are finished, click **Finalize Counseling**.

Counseling Accepted by Agent

When a request for counseling is accepted by an agent on behalf of the patient, call up the **Counseling** screen for the Rx and do the following:

1. Enter the agent's **First Name** and **Last Name**.
2. Select an option from the **Relationship to Patient** dropdown menu.
3. Select the counseling method from the **Method** dropdown menu.
4. Place a checkmark next to the counseling points you want to cover during patient counseling. Enter any additional information in the text box that appears next to each counseling point.
5. If you want to perform patient counseling at a later date, click **Save for Later**.
6. When you are finished, click **Finalize Counseling**.

Counseling Rejected by Patient/Agent

If the patient rejected the counseling request, call up the **Counseling** screen for the Rx and do the following:

1. Select **Rejected** from the **Counseling** dropdown menu.
2. Select **Patient** or **Agent** from the **By** dropdown menu.
3. Select the method for rejecting counseling from the **Method** dropdown menu.
4. Select a reason for the rejection from the **Reason** dropdown menu.
5. Enter any comments in the comments textbox (optional).
6. If you want to perform patient counseling at a later date, click **Save for Later**.
7. When you are finished, click **Finalize Counseling**.

Counseling Follow-up

Once you click **Finalize Counseling** from the **Counseling** screen, a **Follow-up - Rx Counseling** window will appear.

1. If you do not want to perform a counseling follow-up, select **Do NOT Follow-up** and click **Save**.
2. If you want to perform a counseling follow-up, select **Follow-up required** and enter the number of days you want to pass before the follow-up occurs. The date field will auto-populate according to the number of days you entered. Click **OK**.
3. Due dates for follow-ups can be viewed by selecting **Follow-ups** from the **Alt-X - Start** screen.

Viewing Counseling History

Method 1: From the Patient Profile

1. Call up a patient.
2. Select **Rx Counseling History** from the right navigation pane.
3. Select **Accepted**, **Rejected** or **All** from the **Type** dropdown menu.
4. Double-click an Rx. The **Counseling Information** window will appear displaying the counseling details for the Rx.
5. To print a Prescription Counseling Log, click **Print**. Set the appropriate parameters and click **Print**.
6. Click **F2-View** for a detailed view of the counseling history.
7. Click **Close** to close the **Counseling Information** window.

Method 2: From the Rx Screen

1. Call up an Rx.
2. Select **Rx Counseling History** from the right navigation pane.
3. Select **Current Rx** or **All Refills for this Rx**.
4. Click **F2-View** button for a detailed view of the counseling history.
5. Click **Close** to exit from the **Counseling Information** screen.

Reports

This section describes the various report types available in Kroll, and explains the purpose of the most commonly used reports.

To view all available reports, access the **Reports** menu from the **Alt-X - Start** screen. To run a report, place your cursor over the appropriate category from the **Reports** menu and select the report you want to run.

Common Daily Reports

Day End Label	Prints the totals saved on the local system. You will be prompted to print a Day End Label report upon closing the application. To do so, go to File > Exit , or press Alt+F, X on your keyboard.
Network Totals	Communicates with real-time third parties and returns their totals. To access this report, press Alt+F, N on your keyboard. The Day End Label and Network Totals reports should balance.

Common Weekly Reports

Adjudication Totals	States each transaction number sent to a third party adjudicator and the total amount claimed. This report is useful for reconciling third party payments.
Daily Totals	Summarizes the total dollar values for the specified date range.
Plan Summary	Summarizes the total dollar values generated for all plans including cash within the specified date range.
Claims Invoice	Used to print out billing claims for non-real time third party plans.

Common Monthly Reports

Monthly Totals	Summarizes the total dollar values for the entire specified month.
Narcotic Report	Lists all the reportable narcotic prescriptions dispensed within a specified range.
Profit/Loss	Prints all Rxs for a specific profit and loss amounts or percentage.

Other Commonly Used Reports

Medical History	Prints the patient's local profile.
Tax Receipt	Prints a total patient paid amount for a specified range that can be submitted as an income tax receipt.
Time Distribution	Tracks the number of prescriptions filled per hour. This is useful when scheduling staff.
Drug Inventory Listing	Prints all relevant details for tracking stock. This includes on-hand amounts, cost fields, and extended total values.
Drug Inventory History	Prints all on-hand changes, inventory movement, receiving, and manual receiving changes for specific drugs.
Doctor Rx Filled	Useful for finding out prescription volumes for specific doctors.
Price Tree	Prints a copy of the pricing tables configured in Plans/Pricing.
Sig Code Listing	Prints a copy of all sigs and their translations.
Future Usage	Prints a list of all prescription refills for a future date. This report is based on the Rx quantity, amount remaining, and days' supply.